## E L E C T R I C F I R E S & S U R R O U N D S



The warmth of a real fire with the convenience of electricity



# ELECTRIC FIRES AND SURROUNDS FROM FDC

This brochure shows our latest range of electric fires and stoves featured in a selection of new and existing fireplaces from 'The Fireplace Gallery' collection.

The **Solstice** and **Equinox** can be easily fitted into a chimney breast with either a fascia panel or fireplace suite. Alternatively they can be installed into a standard cavity wall when incorporated with a suitably rebated surround. They can be fully serviced and maintained from the front with no need to remove the fire or fireplace.

The **Brooklyn** inset electric fire will fit a standard 16" fire opening. A flat wall installation is possible using a 3" rebated fireplace. With three fuel beds supplied and choice of frame and fret it will complement any interior.

The **Staten** electric stove is made from heavy gauge mild steel and has a cast iron door with a large picture window. Top quality construction, a realistic log fuel bed and high level heater make this one of the best products on the market.

#### Solstice

SUTTON Page 1
BECKFORD Page 2
48" CHILMARK Page 3
EPSOM Page 4
54" LUDLOW Page 5
STONE FASCIAS Page 6

#### Equinox

STONE FASCIAS

Page 7

BOLECTION

Page 8

BOLECTION WITH SHELF

Page 9

59" CHILMARK

Page 10

63" LUDLOW

Page 11

#### Brooklyn

EDWARDIAN CORBEL

BLENHEIM Page 12
VICTORIAN CLASSIC Page 13
LINCOLN Page 14
VICTORIAN CORBEL Page 15

#### Staten Electric Stove

WARWICK Page 17

DIMENSIONS Pages 18-20

IMPORTANT INFORMATION Page 21

Page 16



#### ALL OUR FIRES FEATURE THE FOLLOWING:

- Multifunctional remote control
- Realistic loose fuel beds
- Ecoflame™ 3D flame effect technology
- Choice of four flame effects
- Two heat settings
- Manual over ride buttons
- Thermostat and timer as standard

## SUTTON




Mantel:

**Sutton** in Veined Limestone

Fire: Solstice

Hearth & slips:

Polished Black Granite










## BECKFORD




Fireplace: **Beckford** in Veined Limestone Fire: Solstice



## 48" CHILMARK



Fireplace:
48" Chilmark in Rosal Limestone
Fire:
Solstice



Solstice

# E P S O M



Mantel: **Epsom** in Aegean Limestone

> Fire: Solstice

Hearth & slips: Honed Black Granite










## 5 4 " L U D L O W




Fireplace: 54" Ludlow in Veined Limestone.

*Fire:* Solstice




### SOLSTICE STONE FASCIAS









- Shown in Aegean Limestone, Black Granite and Portuguese Limestone
- Pre-assembled for ease of installation
- Bespoke sizes and materials available


Solstice

# E Q U I N O X S T O N E F A S C I A S









4 PECE ASSEMBLED FASCIA TO SUIT EQUIDION.

- Shown in Black Granite, Portuguese Limestone and Aegean Limestone,
- Pre-assembled for ease of installation
- Bespoke sizes and materials available


Equinox 7

31"

## BOLECTION



Fireplace: **Bolection** in Aegean Limestone Fire: Equinox




 $\frac{Equinox}{8}$ 

## BOLECTION WITH SHELF



Fireplace:
Bolection with shelf in Aegean Limestone
Fire:
Equinox




# 59" CHILMARK



Fireplace: **59" Chilmark** in Rosal Limestone Fire:

Equinox



# 63" LUDLOW




Fireplace: 63" Ludlow in Veined Limestone
Fire:

Equinox



#### BLENHEIM



Mantel:

Blenheim in polished Anatolian Brown Marble


Brooklyn with glass pebble fuel bed

Frame & Fret:

Brass Contrast frame & Bauhaus fret

Hearth & slips:

Aegean Limestone





## VICTORIAN CLASSIC



Mantel:

Victorian Classic in Chamot Limestone


Fire:

Brooklyn with coal fuel bed

Frame & Fret:

Brushed Steel Contrast frame & Bauhaus fret

Hearth & slips: Honed Black Granite









## LINCOLN



Mantel:

Lincoln in Natural Oak

Fire:


Brooklyn with glass pebble fuel bed

Frame & Fret:

Brass Contrast frame & Bauhaus fret

Hearth & slips:

Alpine White Micromarble





### VICTORIAN CORBEL



Mantel:

Victorian Corbel in honed Ariston Micromarble

Fire


Brooklyn with coal fuel bed

Frame & Fret:

Polished Steel Contrast frame & Bauhaus fret

Hearth & slips:

Honed Black Granite










#### EDWARDIAN CORBEL



Mantel:

Edwardian Corbel in Aegean Limestone

Chamber:


Old Red Stock brick

Stove:

Staten

Hearth & slips:

Aegean Limestone.










Staten electric stove

## WARWICK



Mantel:

Warwick in Chamot Limestone


Chamber:

Brown Cobble herringbone brick

Stove:

Staten

Hearth & slips: Chamot Limestone.









Staten electric stove

## DIMENSIONS

BECKFORD	
Shelf:	1220 x 160 x 30
Hearth:	1220 x 300 x 60 FLUSH BOXED
Height (inc hearth):	1030
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	110
Rebate:	80

BOLECTION	
Shelf:	1280 x 115
Hearth:	1370 x 380 x 30 SOLID
Height (inc hearth):	1005
Mantel Opening:	910 wide x 790 high
Across Legs:	1280
Leg Depth:	145
Rebate:	25

48" CHILMARK	
Shelf:	1220 x 200 x 60
Hearth:	1220 x 300 x 60 SOLID SQUARE WITH ROUNDED CORNERS
Height (inc hearth):	1050
Mantel Opening:	760 wide x 570 high
Across Legs:	1120
Leg Depth:	150
Rebate:	80

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

BLENHEIM	
Shelf:	1370 x 195 x 60
Hearth:	N/A
Height:	1125
Mantel Opening:	870 wide x 890 high
Across Legs:	1240
Leg Depth:	140
Rebate:	30

BOLECTION WITH SHELF	
Shelf:	1370 x 180 x 55
Hearth:	1370 x 380 x 30 SOLID
Height (inc hearth):	1060
Mantel Opening:	910 wide x 790 high
Across Legs:	1280
Leg Depth:	145
Rebate:	25

59" CHILMARK	
Shelf:	1500 x 200 x 60
Hearth:	1500 x 300 x 60 SOLID SQUARE WITH ROUNDED CORNERS
Height (inc hearth):	1100
Mantel Opening:	1040 wide x 620 high
Across Legs:	1400
Leg Depth:	150
Rebate:	80

EPSOM	
Shelf:	1420 x 215 x 30
Hearth:	N/A
Height:	1140
Mantel Opening:	890 wide x 890 high
Across Legs:	1250
Leg Depth:	130
Rebate:	25 or 75

## DIMENSIONS

48" LINCOLN	
Shelf:	1220 x 180 x 32
Hearth:	N/A
Height:	1130
Mantel Opening:	840 wide x 890 high
Across Legs:	1145
Leg Depth:	115
Rebate:	25 / 75

63" LUDLOW	
Shelf:	1600 x 200 x 60
Hearth:	1600 x 460 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	1060 wide x 775 high
Across Legs:	1480
Leg Depth:	140
Rebate:	35

VICTORIAN CLASSIC	
Shelf:	1370 x 205 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	75


WARWICK	
Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1155
Mantel Opening:	865 wide x 865 / 915 high
Across Legs:	1265
Leg Depth:	135
Rebate:	75


54" LUDLOW	
Shelf:	1370 x 200 x 60
Hearth:	1370 x 410 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	810 wide x 775 high
Across Legs:	1230
Leg Depth:	140
Rebate:	35


SUTTON	
Shelf:	1370 x 230 x 50
Hearth:	N/A
Height:	1130
Mantel Opening:	800 wide x 880 high
Across Legs:	1200
Leg Depth:	150
Rebate:	25


VICTORIAN CORBEL	
Shelf:	1420 x 250 x 30
Hearth:	N/A
Height:	1160
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1325 (adj)
Leg Depth:	150
Rebate:	75

## DIMENSIONS









#### I M P O R T A N T I N F O R M A T I O N

#### FEATURED MATERIALS

#### **LIMESTONE**

Small fossils and calcified veins (very fine black lines which can be misinterpreted as cracks) are an inherent feature of natural limestone and whilst every care is taken to select the clearest material some are likely to be present. Due to the high moisture content of limestone, fireplaces will dry over time and become lighter in appearance.

Care must be taken before and during installation, as all fireplaces are untreated and are susceptible to discolouration. It is recommended that the completed installation is allowed to dry thoroughly and then sealed with a proprietary sealer. We recommend the 'LTP' range of Stonecare products available from your retailer.

#### **VEINED LIMESTONE**

Originating from Portugal this material contains fossilised remains resulting in natural linear veining throughout. Cool to the touch and with a smooth matt finish, this material remains one of our most popular.

#### ROSAL LIMESTONE

This Portuguese material is specially selected for its clarity and lack of fossiling (although some will be present). Lighter in colour than the above, the overall appearance is that of subtle shades and swirls.

#### CHAMOT LIMESTONE

Quarried in France this hard wearing material has a distinctive appearance. It is speckled with a myriad of small fossils, ensuring each fireplace will be truly unique.

#### **AEGEAN LIMESTONE**

Also known as Turkish limestone this off-white material is fine grained and infused with thousands of minute fossils. During the manufacturing process many of these become loosened resulting in 'pitting' across the material surface. This is a characteristic of the material and adds to the natural beauty of the product.

#### ANATOLIAN BROWN MARBLE

Imported from Turkey this natural marble contains a network of fine veins and brecciations. For these reasons it is stopped and filled prior to polishing, although the material will still feature surface crazing after this process.

#### ARISTON MICROMARBLE

This is a man made material comprising 95% natural marble and 5% resin mixed with a pigment colouring. The resulting product is consistent in colour and an attractive alternative to natural marble.

#### **BLACK GRANITE**

This is a very dense, hard wearing igneous stone with a high resistance to scratching and staining. Due to its crystalline structure granite can be highly polished or honed to a consistent colour and deep lustre.

#### INSTALLATION

Having a new fireplace installed is a major project and it is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase. All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. It is essential to confirm with your retailer that your new fireplace will be installed appropriately.

#### PRODUCT SPECIFICATION

All the fireplaces in this brochure are hand finished. As such, all measurements are approximate and may vary slightly from those published. The fireplaces are manufactured from natural materials and colour and veining variation will occur from photographs, printed material and any showroom displays that relate to these products. Any variation is outside our control and cannot be regarded as faulty or substandard. Due to the nature of the materials used in construction of these fireplaces it may be necessary to reinforce or use suitable filler to eliminate brecciation in the material. FDC (UK) Ltd has a continuous research and development programme which may necessitate changes to sizes and specifications without prior notification.

If any size is critical this should be made clear to your retailer at the point of order.

#### THE FDC PLEDGE

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation.

Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.



### ELECTRIC FIRES & SURROUNDS



fdcuk.co.uk