MICROMARBLE FIREPLACES







INTRODUCING THE FDC MICROMARBLE COLLECTION.

We are proud to present our exciting new brochure featuring micromarble fireplaces and surrounds from FDC. Within, you will find a selection of new designs and materials accompanied by some tried and tested favourites.

Honed Ariston is the new addition to our micro-grain marble range and in its own unique way will make striking statements in any home.

We are continually improving and expanding our product range, regularly introducing new designs and incorporating new materials.

Over years of growth our philosophy has remained constant: to supply our products exclusively through a carefully selected and approved network of retail showrooms: each one knowledgeable of our product and able to offer you, the customer, a complete and professional service.



Acapulco	
ANSTY	Pages 2-3
COMPTON	Pagse 4-5
EARL	Pages 6-7
FALMOUTH	Pages 8-9
LUXOR	Pages 10-11
Alpine White	
ABBEY	Pages 12-13
CHILMARK	Pages 14-15
COMPTON	Pages 16-17
DURRINGTON	Pages 18-19
EDINBURGH CORBEL	Pages 20-21
HEDDON	Pages 22-23
MILBORNE	Pages 24-25
RUSHMORE	Pages 26-27
Honed Ariston	
BAVERSTOCK	Pages 28-29
BOLECTION	Pages 30-31
EDWARDIAN CORBEL	Pages 32-33
VICTORIAN CLASSIC	Pages 34-35
VICTORIAN CORBEL	Pages 36-37
Crema Fiore	
ASHLEY	Pages 38-39
CHILMARK	Pages 40-41
DURRINGTON	Pages 42-43
EDINBURGH CORBEL	Pages 44-45
HEDDON	Pages 46-47
HILTON	Pages 48-49
MILBORNE	Pages 50-51
OXFORD	Pages 52-53
RUSHMORE	Pages 54-55
Information	
GAS & ELECTRIC FIRES	Pages 56-58
FIREPLACE DIMENSIONS	Pages 59-61
FEATURED MATERIALS	Page 61




A N S T Y






C O M P T O N






EARL






FALMOUTH





LUXOR

Fireplace:
Luxor in Acapulco Micromarble.
Fire:
Enigma with Baltimore fret.









Acapulco



A B B E Y

Fireplace: Abbey in Alpine White Micromarble. Fire: Enigma with Baltimore fret. 52" 54" 15"

Alpine White



CHILMARK





C O M P T O N

Fireplace:

Compton in Alpine White Micromarble.

Fire:

Enigma Slimline with Baltimore fret.





D U R R I N G T O N





EDINBURGH CORBEL






HEDDON





MILBORNE





RUSHMORE

Fireplace:


Rushmore in Alpine White Micromarble.

Fire:

Brooklyn with coal fuel bed.

Frame & Fret:

Brushed Steel Contrast frame & Bauhaus fret.



Alpine White




BAVERSTOCK






BOLECTION






EDWARDIAN CORBEL





54" VICTORIAN CLASSIC





VICTORIAN CORBEL



Mantel:

Victorian Corbel in Honed Ariston Micromarble

Fire:


Brooklyn with coal fuel bed

Frame & Fret:

Polished Steel Contrast frame & Bauhaus fret

Interior & Hearth:


Honed Black Granite



Honed Ariston




ASHLEY






CHILMARK





DURRINGTON





EDINBURGH CORBEL






HEDDON

Fireplace:

Heddon in Crema Fiore Micromarble.

Fire:

Enigma Slimline with Baltimore fret.









Crema Fiore




HILTON

Fireplace: Hilton in Crema Fiore Micromarble. Fire: Enigma with Baltimore fret. 50" 43" 50"



MILBORNE






OXFORD

Fireplace:

Oxford in Crema Fiore Micromarble.

Fire:


Enigma Slide Control with Clevedon fret.



Crema Fiore



RUSHMORE





GAS & ELECTRIC FIRES





ENIGMA

- Deep fuel bed for an ultra-realistic effect
- Built-in flue restrictor to maximise heat output
- Heat output of up to 4.0 kW at 57% efficiency
- Coal fuel bed
- Suitable for class 1 and 5" lined flues
- Rear venting to reduce flue debris entering the fire
- Choice of manual or battery operated slide control
- Four trim options: black, brass, brushed stainless steel and polished stainless steel
- Compatible with a variety of decorative fire frets

ENIGMA SLIMLINE

- A superb flame picture with a glowing fire bed
- At only 120 mm deep will fit almost any flue
- Heat output of up to 4.1 kW at 58% efficiency
- Coal fuel bed
- Suitable for class 1, class 2 and precast flues
- Choice of manual or battery operated slide control
- Four trim options: black, brass, brushed stainless steel and polished stainless steel
- Compatible with a variety of decorative fire frets







ENIGMA HE

- Heat output of up to 4.9 kW at 89% efficiency
- Excellent radiant heat output
- Ceramic glass front technology
- Suitable for class 1 and 5" lined flues
- Choice of manual, battery operated slide control and remote control

GAS FIRE EFFICIENCIES				
	Setting	Input	Net Efficiency	Output
Enigma	High	7 kW	57%	4 kW
(N.G. only)	Low	4.8 kW	50%	2.4 kW
Enigma HE	High	5.5 kW	89%	4.9 kW
(N.G. only)	Low	2.4 kW	70%	1.9 kW
Enigma Slimline	High	7 kW	58%	4.1 kW
(N.G. only)	Low	2.4 kW	50%	1.2 kW

All featured gas fires are manufactured under a BS EN ISO 9001 quality system (registration number 5195), which covers all areas of product design, development, manufacture and service.

GAS & ELECTRIC FIRES



BROOKLYN

- Ecoflame™ 3D flame effect technology
- Choice of coal, glass, pebble or log fuel beds
- Choice of four flame effects
- Two heat settings, 750W & 1500W
- Suitable for a flat wall installation using a 3" rebate fireplace or surround
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard

STATEN

- Constructed from heavy gauge mild steel with a cast iron door
- Large picture window
- Ecoflame™ 3D flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard






COLUMBIA


- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 3.6 kW at 78% efficiency
- Available for use with natural gas or LPG
- Top or rear flue option (rear closure plate supplied)
- Suitable for class 1, class 2 and precast flues
- Manual control


COLUMBIA BF


- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 4.3 kW at 88% efficiency
- Available for use with natural gas or LPG
- No chimney required
- Balanced flue
- Remote control























All featured gas fires carry a 12 month warranty from the date of installation. Please ensure you complete and return the warranty registration page in the back of the instruction manual. Failure to register your fire will invalidate the warranty. Please note that the ceramic fuel bed, firebox liners and glass are not covered by the warranty however spares are available from your retailer.

DIMENSIONS

ABBEY	
TIDDET	
Shelf:	1320 x 150
Hearth:	1370 x 380 x 60 FLUSH BOXED
Height (inc hearth):	1075
Mantel Opening:	910 wide x 810 high
Outer Slip Opening:	710 wide x 710 high
Across Legs:	1320
Leg Depth:	150
Rebate:	25

ANSTY	
Shelf:	1220 x 205 x 60
Hearth:	$1220 \times 380 \times 60$ B&L SQUARE WITH BEVEL & ROUNDED CORNERS
Height (inc hearth):	1020
Mantel Opening:	700 wide x 710 high
Across Legs:	1100
Leg Depth:	135
Rebate:	75

ASHLEY	
Shelf:	1220 x 175 x 45
Hearth:	1220 x 380 x 60 FLUSH BOXED WITH PROFILE
Height (inc hearth):	1050
Mantel Opening:	780 wide x 700 / 780 high
Across Legs:	1140
Leg Depth:	135
Rebate:	75

BAVERSTOCK	
Shelf:	1370 x 200 x 65
Hearth:	N/A
Height:	1165
Mantel Opening:	910 wide x 910 high
Across Legs:	1255
Leg Depth:	135
Rebate:	75

BOLECTION	
Shelf:	1280 x 115
Hearth:	N/A
Height:	1095
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

CHILMARK	
Shelf:	1150 x 185 x 30
Hearth:	1150 x 380 x 50 B&L SQUARE
Height (inc hearth):	1045
Mantel Opening:	750 wide x 765 / 815 high
Across Legs:	1050
Leg Depth:	135
Rebate:	75

COMPTON	
Shelf:	1120 x 170 x 50
Hearth:	1120 x 380 x 60 B&L SQUARE
Height (inc hearth):	970
Mantel Opening:	645 wide x 670 high
Across Legs:	1025
Leg Depth:	125
Rebate:	75

DURRINGTON	
Shelf:	1150 x 185 x 30
Hearth:	1150 x 380 x 50 B&L SQUARE
Height (inc hearth):	1045
Mantel Opening:	750 wide x 815 high
Across Legs:	1050
Leg Depth:	135
Rebate:	75

1120 x 140 / 190 x 60
1120 x 255 / 380 x 60 FLUSH BOXED CURVED
1000
660 wide x 700 / 740 high
1020
105
75

DIMENSIONS

EDINBURGH CORBEL	
Shelf:	1370 x 290 x 60
Hearth:	N/A
Height:	1190
Mantel Opening:	880 wide x 915 high
Across Legs:	1270
Leg Depth:	200
Rebate:	75

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

FALMOUTH	FALMOUTH	
Shelf:	1220 x 180 x 35	
Hearth:	1220 x 380 x 60 B&L CHAMFERED WITH PROFILE	
Height (inc hearth):	1055	
Mantel Opening:	760 wide x 700 / 795 high	
Across Legs:	1120	
Leg Depth:	105	
Rebate:	75	

HEDDON	DDON	
Shelf:	1120 x 115	
Hearth:	1220 x 380 x 60 FLUSH BOXED	
Height (inc hearth):	1025	
Mantel Opening:	760 wide x 765 high	
Across Legs:	1020	
Leg Depth:	115	
Rebate:	75	

HILTON	TON	
Shelf:	1270 x 145 x 45	
Hearth:	1270 x 380 x 60 FLUSH BOXED WITH BEVEL	
Height (inc hearth):	1095	
Mantel Opening:	820 wide x 720 / 770 high	
Across Legs:	1200	
Leg Depth:	110	
Rebate:	75	

LUXOR	
Shelf:	1370 x 225 / 275 x 35
Hearth:	1370 x 365 / 410 x 50 B&L CURVED WITH PROFILE
Height (inc hearth):	1135
Mantel Opening:	885 Wide x 765 / 835 High
Across Legs:	1270
Leg Depth:	170
Rebate:	75

MILBORNE	ILBORNE	
Shelf:	1150 x 185 x 30	
Hearth:	1150 x 380 x 50 B&L SQUARE	
Height (inc hearth):	1045	
Mantel Opening:	750 Wide x 765 / 815 High	
Across Legs:	1050	
Leg Depth:	135	
Rebate:	75	

OXFORD	OXFORD	
Shelf:	1370 x 170 x 35	
Hearth:	1370 x 380 x 60 B&L CHAMFERED WITH BEVEL	
Height (inc hearth):	1065	
Mantel Opening:	780 Wide x 710 / 800 High	
Across Legs:	1240	
Leg Depth:	110	
Rebate:	75	

RUSHMORE	SHMORE	
Shelf:	1150 x 185 x 30	
Hearth:	1150 x 380 x 50 B&L SQUARE	
Height (inc hearth):	1045	
Mantel Opening:	680 Wide x 770 High	
Across Legs:	1050	
Leg Depth:	150	
Rebate:	75	

DIMENSIONS

SPRINGFIELD	RINGFIELD	
Shelf:	1610 x 255 x 65	
Hearth:	N/A	
Height (inc hearth):	1265	
Mantel Opening:	980 Wide x 980 High	
Across Legs:	1440	
Leg Depth:	165	
Rebate:	35	

VICTORIAN CLASSIC	
Shelf:	1370 x 205 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	75

VICTORIAN CO	ICTORIAN CORBEL	
Shelf:	1420 x 250 x 30	
Hearth:	N/A	
Height:	1160	
Mantel Opening:	915 (adj) wide x 915 high	
Across Legs:	1325 (adj)	
Leg Depth:	150	
Rebate:	75	

FFATURED MATERIALS

MICRO-GRAIN MARBLE:

All the marble fireplaces and surrounds in this brochure are hand finished and, as such, all measurements are approximate and may vary slightly. Micro-grain marble is a man-made material comprising of up to 95% natural marble, the other ingredients are pigment colouring and resin. These are scientifically mixed, poured into a mould and allowed to cure. The blocks are then sawn into different thicknesses of slab ready for face polishing and processing into the finished fireplaces seen in this brochure.

Although the above processes are highly controlled, please be aware that pattern and colouring variations can occur from photographs, printed material and any showroom displays that relate to these products. Micro-grain marble back panels and hearths are not suitable for solid fuel applications. We also strongly recommend that micromarble back panels are sectioned into three pieces when used in conjunction with high efficiency / high output gas fires.

Polished fireplaces can be susceptible to scratching. To retain the lustre of your fireplace we recommend using a proprietary marble polish on a regular basis.

IMPORTANT INFORMATION

INSTALLATION

Having a new fireplace installed is a major project and it is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations, the most recognised independent body is GAS SAFE REGISTER and for solid fuel installations it is HETAS. It is essential to confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace installed by a GAS SAFE REGISTER (gas) or HETAS (solid fuel) registered fitter you will be given a certificate stating that your installation has been carried out in accordance with Building Regulations. If you do not have one of these certificates you will have to arrange for your local Building Control Officer to inspect and approve your installation.

PRODUCT SPECIFICATION

FDC (UK) Ltd has a continuous research and development programme which may necessitate changes to sizes and specifications without prior notification. If any size is critical this should be made clear to your retailer at point of order. Likewise we may discontinue featured models or materials at our discretion and will not be held liable for any consequential losses. Please visit www.fdcuk.co.uk for the most up to date information on our product ranges and, if still in doubt, telephone.

THE FDC PLEDGE

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.



MICROMARBLE FIREPLACES

www.fdcuk.co.uk